

**BHARAT AGRO CHEM** 





#### **BHARAT AGRO CHEM**

For over 17 years, our company has been dedicated to manufacturing and marketing a wide range of agricultural products including fungicides, herbicides, insecticides, and plant growth promoters. Our commitment to providing high-quality and effective solutions to farmers and growers has made us a trusted partner in the industry.

Our team of experts is constantly researching and developing innovative products to address the evolving needs of the agricultural sector. We use only the best ingredients and adhere to strict quality control standards to ensure that our products deliver the best possible results.





### AKTARA-25 THAIMETHOXAM 25% WDG

It helps in controlling Stem borer, gall midge, leaf folder, brown plant hopper, White Blacked Plant hopper (WBPH), Green Leaf hopper (GLH), Thrips, etc. in rice. It is also very effective in controlling Aphids, Jassids, Thrips & White Flies in cotton.

Packing: 1 kg., 500gm., 250gm., 100gm., 50gm., 25gm., 10gm., 5gm.

## AKTARA-75 THAIMETHOXAM 75% SG

Thiamethoxam 75% w/w SG is a broad-spectrum insecticide that belongs to the neonicotinoid group of insecticides. It is a systemic insecticide, meaning that it is taken up by the plant and distributed throughout its tissues. This characteristic provides effective and long-lasting protection against various chewing and sucking insects, including aphids, whiteflies, leafhoppers, thrips, and beetles.

Packing: 1 kg., 500gm., 250gm., 100gm., 50gm., 25gm., 10gm., 5gm.





#### THEMET-505

CHLORPYRIPHOS 50% + CYPERMETHRIN 5% EC

It is one among the broad-spectrum control insecticide. It effectively controls the lepidopteran insects in a wide range of crops. Crops: It is recommended for Aphids, Jassids, Thrips, Whitefly, American Bollworm, Spotted Bollworm, Pink Bollworm, and Spodoptera litura of Cotton.

Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.

#### **THEMET 10-G**

**CHLORPYRIPHOS 10% GRANULES** 

Chlorpyriphos 10% Granules is use to control for Argentine Stem Weevil, Ants and Beetles in turf and garden areas. Recommendation: Recommended for insect of the garden & termite control of Midge at the formulation of 10 kg/Ha.



Packing: 1 kg.



### **BRUFEN**

Fenvalerate 0.4% DP is recommended to control. spotted bollworms and pink bollworms of cotton crop.

Packing: 1 kg., 5kg., 10kg., 25kg.

## **SURAKSHA**

Malathion is used to kill insects on farm crops and in gardens, to treat lice on humans, and to treat fleas on pets. Malathion is also used to kill mosquitos and Mediterranean fruit flies on (medflies) in large outdoor areas.



Packing: 1 kg., 5kg., 25kg.



## FEURADON CARBOFURAN 3% CG

Carbofuran 3% CG is A Systemic Carbamate Insecticide/nematicide. It Controls The Insects By Its Contact & Stomach Action Absorbed By The Plant Roots. It Moves Systemically To The Plant System To Control Root Feeding, Foliage Pests. It Gives Long Lasting Protection Against Nematode At Recommended Doses.

Packing: 1 kg.

## SUPER CYPER CYPERMETHRIN 25% EC

It is a fast-acting neurotoxin. It controls insects immediately after application. A low dosage is enough to control pests. It leaves no residue on the crops.





#### SUPER FIGHTER

It is very effective in controlling insects immediately after application, even at low doses. It does not leave residue in crops, and, as a result, it can be applied a week before crop harvest.

Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.

#### **DHANUSHBAN**

Recommended to control hispa, leaf roller, gall midge, stem borer of Paddy, aphid, bollworm, whitefly & cutworm of cotton and insects of vegetables, fruits. It is also used to control termite in building, wood and seed treatment & soil treatment...



Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.



#### **DHANUSHBAN 50**

CHLORPYRIPHOS 50% EC

It is a powerful insecticide for controlling biting as well as sucking of insects. Versatile insecticide and termiticide for agricultural and house hold pests. combines rapid initial action with a good long lasting residual effect. Triple action through contact, stomach and fumigation.

Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.

## CORAMIN PLUS CHLOANTRANILIPROLE 4.3% + ABAMECTIN 1.7% SC

Chlorantraniliprole 4.3% + abamectin 1.7% SC mixture 100% reduction of S. litura to an extent of 48.66-78.28% reduction of leaf miner damage and 89.73-99.36% reduction in leaf miner population. In T. urticae population Chlorantraniliprole + abamectin did not cause any phytotoxicity symptoms.

Packing: 1 ltr., 500ml., 250ml., 100ml., 50ml., 25ml., 10ml.





#### **CORAMIN**

**CHLORANTRANILIPROLE 0.4% GR** 

This insecticide exhibits high insecticidal potency and provides long duration control. Granular formulation provides ease for application to the growers Due to excellent control of Stem borer in Rice, it ensures greater crop health and high yield potential. Excellent control against Early shoot borer and Top borer in Sugarcane crop protects growers from incurring losses due to low crop yield and thereby maximizing output. Green label product

Packing: 1kg., 4kg.

#### **CORAMIN**

CHLORANTRANILIPROLE 18.5% SC

It controls caterpillars and larvae of moths and butterflies, as well as some beetles and "true" bugs such as aphids and spittlebugs. It gives protection for a longer duration. It can be used on a variety of crops such as sugarcane, tomatoes, cotton, pigeon peas, rice, etc.



Packing: 150ml., 60ml., 30ml., 10ml.



#### **BEEDAN SP**

CARTAP HYDROCHLORIDE 50% SP

Unique in mode of action and highly effective against chewing biting and sucking pests. It is a broad spectrum contact and stomach insecticides. Highly effective at low concentration and can control all most stages of insects.

Packing: 100gm., 250gm.

#### BEEDAN

CARTAP HYDROCHLORIDE 4% GR

This is an insecticide of Nereistoxin analogue group, which gives effective control on insects pests through its contact, systemic and stomach poison action. It has remarkable capacity to control caterpillars.

CARTAP HYDROCHLORIDE 4% GR
BEEDAN

USACTICUS

SERVICES (1/4)

Packing : 1kg.



#### **MIDA**

**IMIDACLOPRID 17.8% SL** 

Imidacloprid 17.8% SL is a type of insecticide that is commonly used in agriculture to protect crops from pests. It works by disrupting the nervous system of insects, causing paralysis and eventually leading to their death. This insecticide is also used in the treatment and prevention of flea infestations in pets.

Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.

### MIDA 70 IMIDACLOPRID 70% WG

It is used to control of sucking insects, including Leaf/Plant hoppers, aphids, Thrips and White flies. It is also effective against soil insects, termites & some species of biting insects.



Packing: 150gm., 70gm., 30gm., 10gm., 2gm.



#### **BEEGENT**

FIPRONIL 0.3% GR

It acts as an insecticide with contact and stomach action. It disrupts the insect's central nervous system by blocking the passage of chloride ions through the GABA receptor, an inhibitor of the central nervous system. It also acts as Plant Growth Regulator, which enhances the root growth and results in higher yields.

Packing: 1 kg.

#### **BHARAT ROGER**

**DIMETHOATE 30% EC** 

Dimethoate is an acetylcholinesterase inhibitor which disables cholinesterase, an enzyme essential for central nervous system function. It acts both by Contact and through Ingestion. Sucking and Caterpillar Pest bug, Mites, Stem borer, Shoot fly, Aphids, Thrips, Beetles etc.





### NAGRAJ

**EMAMECTIN BENZOATE 5% SG** 

Emamectin benzoate 5% SG is a water soluble granular formulation cointaning 5% active ingredient and is recommended for the control of Bollworms on cotton, Fruit and shoot borer on okra, DBM on cabbage, Fruit borer, thrips, mites on chilli, fruit and shoot borer on brinjal, pod borer on red gram, chickpea Graps-Thrips ...

Packing: 1kg., 500gm., 250gm., 100gm., 50gm., 10gm., 5gm.

## NINJA PROFENOPHOS 50% EC

Because of its broad spectrum, it controls all sucking pests and foliar feeding larvae. It is primarily used as an acaricide, providing excellent mite control on a variety of crops. It has ovicide and adulticide properties. Rapid knockdown with long-lasting residual activity.



Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.



#### **NINJA PLUS**

PROFENOPHOS 40% + CYPERMETHRIN 4% EC

Use to control sucking pests as well as Bollworm, very good control of Thrips, Bollworm, Alphid, Jassid, Mealybug etc. in agriculture crop like Cotton, Chillies, Tur, etc.

Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.

# ACETA 20 ACETAMIPRID 20% SP

It has unique translaminiar feature, it persists in crops and hence has the ability to control the hiding insects for a longer time. It is highly effective insecticide as it has ovicidal/adulticidal/larvicidal activity, including pyrethroid-resistant pests.



Packing: 100gm., 250gm.



## CHLOR Q CHLORPYRIPHOS 1.5 DP

It have contact, Stomach poison with having respiratory action. It is useful against Stem borer, Green Leaf Hopper, Brown Plant Hopper, Gall midge and Grass Hopper in Paddy crop. It is very useful against termites infestation in crops as well as buildings, wood work and furniture etc.

Packing: 1kg., 5kg., 25kg.

## FOLIDON SUPER CYPERMETHRIN 0.25% DP

Provides long-lasting control of insect pests. Effective against a broad range of insects. Disrupts the normal functioning of the nervous system of the insects. Used to control a wide range of chewing and sucking insects in fruits and vegetables.



Packing: 500gm., 1kg., 5kg., 10., 25kg.



#### **RAFEL**

**LAMBDACYHALOTHRIN 5% EC** 

It is used for control of bollworms, Jassids and thrips on cotton and leaf folder stem borer, green leaf hopper, gall midge, hispa and thrips on rice. It is a preferred choice for Cotton & Paddy. It Provides good control of insect-born plant viruses. It is also used for control of insect pest in public health.

Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.

#### RAFEL PLUS

THAIMETHOXAM 0.9% + LAMBDACYHALOTHRIN 9.5% ZC

This insecticide (Thiamethoxam 12.6% + Lambda Cyhalothrin 9.5% ZC) offers broad-spectrum control against a wide range of insect pests in various crops, including fruits, vegetables, cereals, and ornamentals. It targets both chewing and sucking insects, providing comprehensive protection against damaging pests.





#### **THAIONIL**

THIAMETHOXAM - 0.9% + FIPRONIL- 0.2% GR

Thiamethoxam 0.9% + Fipronil 0.2% GR offers broad-spectrum control against various insect pests, including aphids, whiteflies, beetles, thrips, leafhoppers, and termites. It is effective on a wide range of crops, including cereals, vegetables, fruits, and ornamentals.

Packing: 1kg.

#### **VATIKA**

THIAMETHOXAM 1% + CHLORANTRANILIPROLE 0.5% GR

Prevent crop losses due to Insect attack thus ensuring higher yield. Provide full protection to the crop thereby protecting new and old growth. Better crop establishment: Profuse rooting, more tillers, adds vigour to the plant.



Packing: 1kg.



### ALPHA 10

It is used in removing stem borer, gall midge, whiteflies, jassid, aphids, hopper, mosquito bug, helopeltis theivora, thrips from rice, cotton, okra, mango, wheat, mustard, tomato, brinjal, tea, tomato, potato, foliar application and soil drench.

Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.

#### NAGMANI ABAMECTIN 1 9% EC

Abamectin 1.9% EC is a highly effective Insecticide and acaricide Crystal crop protection limited product. It acts in contact and stomach poison action. It gives long-duration protection. Furthermore, it is used to control yellow mites, red mites, red spiders, two-spotted mites, etc.





FARSA
NEEM OIL BASE AZRADICTIN 0.03% EC

It has an antifeedant property that starves insects to death. It disrupts the molting hormone in pests. It destroys the eggs of moths and kills larvae in their early stage.






### C-SULF

Sulphur 85% DP It acts both as a fungicides and acaricide. This insecticide is used to control insects and pests of a variety of plant diseases, apple scab brown rot, mildew on apples, grapes, ornamentals, peaches, etc.

Packing: 1kg.

#### SUPER SULF SULPHUR 85% DP

Sulphur 85% DP It acts both as a fungicides and acaricide. This insecticide is used to control insects and pests of a variety of plant diseases, apple scab brown rot, mildew on apples, grapes, ornamentals, peaches, etc.



Packing: 1kg.



## SUPER SULF SP SULPHUR 40% SC

Sulphur 40% SC is your supercharged weapon against fungal diseases. It is a yellowish-grey liquid state fungicide that can be used to control powdery mildew in grapes, mango, poppy, rose, cumin, beans and peas, mites in cotton, pink & purple mites in tea, red spider mites in rose and tikka leaf spot in groundnut.

Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.

## BHARAL SULF SULPHUR 80% WDG

It is used to prevent fungal disease in the plant. This is a broadspectrum contact fungicide which is preventive in nature.it also provides sulphur to the plant which is essential for the plant. Its controls fungal spots, leaf spot and rust.



Packing: 1 kg., 500g.



#### **META M-45**

Mancozeb 75% WP Contact Fungicides are suitable for seed treatment and various crops such as flowers, vegetables, fruits it is effective against the widest range of diseases caused by fungal pathogens in various crops like Paddy, Potato, Tomato, Chilies, Grapes, Apple as well as other fruits, vegetables, cereals and ...

Packing: 1kg., 500gm., 250gm., 100gm.



Translaminar action: It is quickly absorbed and translocated within the leaf and plant system resulting in quick and effective disease control. Triple action: Protective, Curative and Eradicative (Prevents spore formation).



Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.



## HEXAZOLE PLUS HEXACONAZOLE 5% SC

Hexaconazole is a systemic conazole fungicide that is used to control a variety of seed-borne and soil-borne diseases and fungi, primarily Ascomycetes and Basidiomycetes. Hexaconazole is an effective inhibitor of Ergosterol biosynthesis. It is frequently used to control apple, coffee, and peanut diseases.

Packing: 1 ltr., 500 ml., 250 ml., 100ml., 50ml.

#### **HEXA MYCIN**

HEXACONAZOLE 5% + VALIDAMYCIN 2.5% SC

Hexaconazole 5% Validamycin 2.5% is an antibiotic and fungicide produced by hydrosyopic it is used as an inhibitor of trehalase. It is used for the control of shealth bilight of rice and damping-off of cucumbers.



#### **COC 50**

**COPPEROXYCHLORIDE 50% WP** 

Copper Oxychloride 50% WP is a copper based broad spectrum fungicide which controls the fungal as well as bacterial diseases by its contact action. It also effectively controls the fungus resistant to other fungicides.

Packing: 500g., 250g.

#### **CURE 75**

CARBENDAZIM 12% + MANCOZEB 63% WP

Carbendazim 12% + Mencozeb 63% WP (Wettable Powder) is a very effective, protective and curative fungicide. It successfully controls Leaf Spot and Rust disease of Groundnut and Blast disease of paddy crop.



Packing: 500gm., 250gm., 100gm., 50gm.



#### **CURE 50**

**CARBENDAZIM 50% WP** 

Carbendazim 50% WP is a broad spectrum systemic fungicide which effectively controls the diseases of crops. It is used both as curative and preventive for control of diseases in field crops and vegetables.

Packing: 500gm., 250gm., 100gm., 50gm.

#### **METLAXYL 72**

**METALAXYL 8% + MANCOZEB 64% WP** 

Being systemic and contact fungicide it provides double protection (Inside Metalaxyl & Outside Mancozeb). It remains effective for longer time and prevents & Cures the diseases effectively. Reduces the number of spray. Metalaxyl is rapidly absorbed (30 min) and therefore not washed away by rains. It effectively controls phytopthora rot. Increase in the yield due to effective control of Late blight, phytopthora etc.

Packing: 500gm., 250gm., 100gm., 50gm.





#### **SPRIT**

**CARBENDAZIM 25% + MANCOZEB 50% WS** 

Helps in early, uniform, and healthy germination. Improves the Seed germination and crop stand. Supplies 'Mn' and 'Zn' nutrition to the plants. Forms a uniform coating/layer around the seed surface and prevents fungal infection / kills the fungus.

Packing: 250gm., 100gm., 50gm.

### MICROBAT

DIMETHOMORPH 50% WP

DIMETHOMORPH 50% WP, CONTROL OF LATE BLIGHT DISEASE. Acrobat is a systemic fungicide containing Dimethomorph. It is used for treating downy mildew and Late blight caused by organisms such as Pythium and Phytophthora species.



Packing: 250gm., 100gm., 50gm., 25gm.



#### **CYMOZEB**

CYMOXINIL 8% + MANCOZEB 64% WP

Cymoxanil 8% + Mancozeb 64% WP is a systemic & contact fungicide, effective for the control of downy mildew disease of Grapes and Cucumber and late blight disease of Potato and Tomato crops.

Packing: 1kg., 500gm., 250gm.

#### **CAPTAZOLE**

CAPTAN 70% + HEXACONAZOLE 5% WP

It is a broad-spectrum fungicide that is effective on fruits and vegetables as well as other crops against powdery mildew, anthracnose, late blight, early blight, downy mildew, and grey mildew.



Packing: 1kg., 500gm., 250gm., 100gm.

#### **HERBICIDE**



### FINISH BUTACHLOR 5% GE

It is use to control annual grass as well as broad leave weeds in rice both seeded and transplanted. It is absorbed primarily by the germinating shoots, and secondarily by the roots with translocation throughout the plant, giving higher concentrations in vegetative parts than in reproductive parts.

Packing: 1kg.

### **TOTAL FINISH**

PRETILACHLOR 50% EC

Pretilachlor 50% EC is a broad-spectrum and selective herbicide. Pretilachlor 50% EC is a pre-emergency herbicide for transplanted rice. It is applied before emergency of weeds, within 0-4 days of transplanting. It controls almost all the weeds (annual grasses, Sedges and broad-leaved weeds) in rice.



Packing: 1 ltr., 500 ml., 250 ml., 100ml.



#### **CLEAR**

**PENDIMETHLIN 30% EC** 

Pendimethalin 30% EC Pendimethalin is an herbicide of the dinitroaniline class used in pre emergence and post emergence applications to control annual grasses and certain broadleaf weeds. It inhibits cell division and cell elongation.

Packing: 1 ltr., 500 ml., 250 ml.

## ALL CLEAR PENDIMETHUM 38 7% CS

It is used to control annual grasses and certain broadleaf weeds which interfere with growth. It inhibits root and shoots growth. It controls the weed population and prevents weeds from emerging, particularly during the crucial development phase of the crop.

PENDANTHUN SILT CS
ALL CLEAR

PARTIES AND CARROLL

TO STATE OF THE PARTIES AND CARROL

Packing: 1 ltr., 500 ml., 250 ml.

#### **HERBICIDE**



## CUTTER PYRAZOSULFURON ETHYL 10% WP

Low dose: Speed herbicide hence favorable for the environmental and toxicological profile. Spectrum of weed Control: Broad spectrum activity, excellent control of Sedges, and Broad Leaf weed & fairly good control of grasses.

Packing: 250gm., 100gm.

#### **SUPER STAR**

OXADIARGYL 80% WP

Broad spectrum herbicide very effective control of grasses, sedges, and some broad leaf weeds in Rice. Works at the time of weed emergence as contact herbicide. When uniformly spread, sticks evenly to soil surface. It is selective to rice plant.



Packing: 250gm., 100gm.



#### **MAHAKAAL**

2,4-D AMINE SALT 58% SL

It is a selective broad spectrum post emergence herbicides. It is used to control weeds in a variety of crops. It is absorbed by the roots and foliage, act as a growth inhibitor.

Packing: 1 ltr., 500 ml.

#### ETHAYL 38 2.4-D ETHYL ESTER 38% EC

ETHYAL ESTER 38% EC effectively controlling broad leaf weeds, these also control the Cyperus sp. There is no adverse effect on crops with recommended dose.



Packing: 1 ltr., 500 ml., 250ml.

#### **HERBICIDE**



## NEERA 71 GLYPHOSATE 71% SG

This is formulated as Glyphosate 71% SG (soluble granule), a concentrated formulation that maximizes potency and efficiency. The elevated concentration enables users to achieve exceptional weed control even at lower application rates, contributing to cost-effectiveness and minimizing environmental impact.

Packing: 1kg., 500gm., 250gm., 100gm.

#### CUTOFF GLYPHOSATE 41% SL

It is a systemic herbicide, kills the weeds by inhibiting the EPSP synthase in weed plant. Its a systemic, non-selective herbicide, it effectively kills all types of weeds. It is widely used in non-crop areas, bunds and water channels. It is also used in tea plantation to control various weeds.



Packing: 1ltr., 500ml., 250ml.



#### **BHARAT ZINE**

ATRAZIN 50% WP

It increases crop yield by minimizing the weed population. It allows growers to produce more food using less energy. It has a broad spectrum and a wide range of applications. Used to control broadleaf and grassy weeds in crops before and after they emerge.

Packing: 1kg., 500gm.





#### KALA SONA

Humic Acid 12% Liquid, a remarkable agricultural solution engineered to produce extraordinary outcomes in diverse farming applications. Enriched with a potent concentration of 12% w/v of humic acid, this product has earned a reputation for its multifaceted advantages, encompassing unparalleled support for plant growth, optimized nutrient absorption, and the cultivation of thriving, fertile soil.

Packing: 1ltr., 500ml., 250ml., 100ml., 50ml.

#### **KALA SONA 10 STAR**

ORGANIC MANURE GRANULE

Organics granulation is a sustainable way to aid in nutrient management and the prevention of run-off. It is particularly beneficial to the agriculture industry, because it transforms a waste that would otherwise incur waste management costs and potentially result in harmful run-off due to over application, into a marketable, more easilyhandled product.



Packing: 1kg.



## KALA MOTI 7 STAR ORGANIC MANURE GRANULE

Organics granulation is a sustainable way to aid in nutrient management and the prevention of run-off. It is particularly beneficial to the agriculture industry, because it transforms a waste that would otherwise incur waste management costs and potentially result in harmful run-off due to over application, into a marketable, more easily-handled product.

Packing: 1kg.

#### HERBAL GOLD

ORGANIC MANURE GRANULE

Organics granulation is a sustainable way to aid in nutrient management and the prevention of run-off. It is particularly beneficial to the agriculture industry, because it transforms a waste that would otherwise incur waste management costs and potentially result in harmful run-off due to over application, into a marketable, more easily-handled product.

Packing: 1kg.





#### **MAGIC FLOWER GR**

NITROBENZENE 35% GR

It improves physical, chemical, and biological properties of soil. It Increases aeration and water holding capacity of soil, Improves effectiveness of metallic fungicides.

Packing: 1kg.

#### **MAGIC FLOWER**

NITROBENZENE 35% L

Nitrobenzene encourages seed germination, makes plants bushier, and produces more flowers. It repels pests like slugs and voles. It aids in the treatment and prevention of magnesium and sulphur deficiency, stunted development, and yield decrease.



Packing: 1ltr., 500ml., 250ml., 100ml., 50ml.



#### **BHARAT N FLOWER**

**NITROBENZENE 25% GR** 

Nitrobenzene 25% GR Use: It is a plant energizer, Flowering stimulants and yield booster. It enhances the plant canopy and induces profuse flowering and thereby increases the yield. Spraying once in every 25 days after 15 days of sowing/transplantation increases the yield significantly.

Packing: 1kg.

## BLACK BOSS

Organics granulation is a sustainable way to aid in nutrient management and the prevention of run-off. It is particularly beneficial to the agriculture industry, because it transforms a waste that would otherwise incur waste management costs and potentially result in harmful run-off due to over application, into a marketable, more easily-handled product.

Packing: 500gm.





#### **BHATAT CULAN**

Triacontanol 0.05% EC is a saturated fatty acid waxy mixture. It is a natural component, solvent free plant growth regulator. It increases the photo and protein synthesis in plant. It increases the physiological efficiency of plant cells and increases yields.

Packing: 1ltr., 500ml., 250ml., 50ml.

#### **GROWZIB GIBRELLIC ACID 0.01% L**

Gibberellic Acid 0.001 is widely used in Paddy Sugarcane Cotton **Groundnut Banana Tomato Potato Cabbage** Cauliflower Grape Brinjal Bhindi Tea Mulberry & For Domestic Purposes like Home Garden Terrace Kitchen Garden Nursery & Indoor Plantation.



Packing: 1ltr., 500ml., 250ml., 100ml., 50ml.



## HERBAL ZYME ORGANIC MANURE GRANULE

Organics granulation is a sustainable way to aid in nutrient management and the prevention of run-off. It is particularly beneficial to the agriculture industry, because it transforms a waste that would otherwise incur waste management costs and potentially result in harmful run-off due to over application, into a marketable, more easily-handled product.

Packing: 10kg.

#### **MAX POWER**

It can be deployed in specific uses like defoliation in pomegranate and breaking alternate bearing in mango. Improve coloration and accelerates uniform ripening of fruits like pineapple, mango tomato. Helps in breaking alternate bearing of mango and induces profuse flowering.



Packing: 100ml.



## ALPHA BOOST ALPHA NEPHTHAYL ACETIC ACID

Alpha Naphthyl Acetic Acid 4.5% SL is an active ingredient plant growth regulator used for the purpose of inducing flowering, preventing shedding of flower buds and unripe fruits. It helps in enlarging fruit size, increasing and improving the quality and yield of fruits.











#### **BHARAT AGRO CHEM**

(AN ISO 9001 : 2015 COMPANY)

Admin office : 5A/17, Big Daddy Apartment, Vivekanand Marg,
Boring Road North S.K. Puri, Patna-800013

Works: D/3, Phase-III, Industrial Area, Fatuha-803201 (INDIA)

Customer Care No.: +91-9934012142

Customer E-mail: info@bharatagrochem.com, bharatagrochem@gmail.com

Website: www.bharatagrochem.com

